JC06 Rec'd PCT/PTO 14 NCT 2005

SEQUENCE LISTING

<110	1 1 1 1 2 1 1	Cirpo Dswal Ronne Dahlo Lenma Neal, Stahl Liu, Banas Wiber	ld, (e, Ha qvist an, M , And l, U Tao s, Ar	Olive ans , And Marit drea lf	er nders	5										
<120)> T	JSE (OF GI	ENES	FOR	INC	REAS	ING T	THE (OIL (CONT	ENT :	IN PI	LANTS	5	
<130)> :	12810	0-001	153-T	JS											
<150)>]	PCT/I	EP200	04/00	3845	5										
		2004														
<150)> 1	EP 03	30089	909.8	3											
<151	.> 2	2003	-04-1	16												
<160)> 4	43														
<170)> 1	Pater	ntIn	vers	sion	3.3										
<210)> 1															
<211	.> 1:	146														
<212	2 > Di	AV														
<213	3> Sa	accha	aromy	yces	cere	evis	iae									
<220)> L> CI	20														
		1)	(1146	5)												
<400)> 1															
atg	tct	ttt	agg	gat	gtc	cta	gaa	aga	gga	gat	gaa	ttt	tta	gaa	gcc	48
Met	Ser	Phe	Arg	Asp	Val	Leu	Glu	Arg	Gly	Asp	Glu	Phe	Leu		Ala	
1				5					10					15		
tat	ccc	aga	aga	agc	ccc	ctt	tgg	aga	ttt	ctt	tca	tac	agt	aca	tca	96
					Pro											
			20					25					30			
	_				gta			_					_			14
Leu	Leu		Phe	Gly	Val	Ser	_	Leu	Leu	Leu	Phe		Cys	Tyr	Asn	
		35					40					45				
					ttt											19:
Val		Leu	Asn	Gly	Phe	Glu 55	Lys	Leu	Glu	Thr		Leu	Glu	Arg	Ser	
	50					23					60					
		_		-	ggc		_	_	_	_			_	-	-	24
Lys 65	Arg	Glu	Asn	Arg	Gly 70	Leu	Met	Thr	Val	Met 75	Asn	His	Met	Ser	Met 80	
55					, 0					, ,					50	

					gtt Val											288
					aga Arg											336
					gcc Ala								_			384
					gtg Val								_	_		432
	-	_		_	cct Pro 150	_	_			_	_	_				480
					tct Ser	_				-			_			528
		_	_		tct Ser		_		_			_			_	576
					cct Pro		-		_	_						624
			_	_	atc Ile		_	_		_	_			-	_	672
			_		999 Gly 230		_			-		_	-	_		720
_		_		_	caa Gln				_					_		768
	_				gat Asp				_	_			_			816
					cat His											864
		_			gac Asp	_	_								_	912
tta	aga	agc	aga	tta	gcc	gct	gaa	ctg	aga	gcc	cat	gtt	gct	gaa	att	960

Leu Arg Ser Arg Leu 305	Ala Ala Glu 310	Leu Arg Ala His 315	Val Ala Glu Ile 320
aga aat gaa gtt cgc	aaa tta cca	cgc gaa gac cct	agg ttc aaa tcc 1008
Arg Asn Glu Val Arg 325	Lys Leu Pro	Arg Glu Asp Pro 330	Arg Phe Lys Ser 335
ccc tca tgg tgg aag Pro Ser Trp Trp Lys 340			
gat gtt aaa gtc att Asp Val Lys Val Ile 355			
ttt ctg cct cca gag Phe Leu Pro Pro Glu 370			= =
<210> 2 <211> 381 <212> PRT <213> Saccharomyces	cerevisiae		
<400> 2			
Met Ser Phe Arg Asp	Val Leu Glu	Arg Gly Asp Glu	Phe Leu Glu Ala 15
Tyr Pro Arg Arg Ser	Pro Leu Trp		
Leu Leu Thr Phe Gly	Val Ser Lys 40	Leu Leu Leu Phe	Thr Cys Tyr Asn 45
Val Lys Leu Asn Gly 50	Phe Glu Lys 55	Leu Glu Thr Ala 60	Leu Glu Arg Ser
Lys Arg Glu Asn Arg 65	Gly Leu Met 70	Thr Val Met Asn 75	His Met Ser Met 80
Val Asp Asp Pro Leu 85	Val Trp Ala	Thr Leu Pro Tyr 90	Lys Leu Phe Thr 95
Ser Leu Asp Asn Ile 100	Arg Trp Ser	Leu Gly Ala His 105	Asn Ile Cys Phe 110
Gln Asn Lys Phe Leu 115	Ala Asn Phe 120	Phe Ser Leu Gly	Gln Val Leu Ser 125
Thr Glu Arg Phe Gly	Val Gly Pro 135	Phe Gln Gly Ser 140	Ile Asp Ala Ser
Ile Arg Leu Leu Ser		=	_
145 His Ser Glu Val Ser 165		155 Lys Lys Ala Tyr 170	
Ile Arg Ser Lys Pro	Ser Trp Val	= : -	175 Glu Gly Phe Val 190
Leu Gln Leu Tyr Pro 195			
Gly Ile Thr Arg Met	Ile Leu Glu 215	Ala Thr Lys Pro	Pro Ile Val Val
Pro Ile Phe Ala Thr		-20	

230

225

Asp Ser Met Phe Arg Gln Ile Leu Pro Arg Asn Phe Gly Ser Glu Ile 250 Asn Val Thr Ile Gly Asp Pro Leu Asn Asp Asp Leu Ile Asp Arg Tyr 265 Arg Lys Glu Trp Thr His Leu Val Glu Lys Tyr Tyr Asp Pro Lys Asn 280 Pro Asn Asp Leu Ser Asp Glu Leu Lys Tyr Gly Lys Glu Ala Gln Asp 295 300 Leu Arg Ser Arg Leu Ala Ala Glu Leu Arg Ala His Val Ala Glu Ile 310 315 Arg Asn Glu Val Arg Lys Leu Pro Arg Glu Asp Pro Arg Phe Lys Ser 325 330 Pro Ser Trp Trp Lys Arg Phe Asn Thr Thr Glu Gly Lys Ser Asp Pro 340 345 Asp Val Lys Val Ile Gly Glu Asn Trp Ala Ile Arg Arg Met Gln Lys Phe Leu Pro Pro Glu Gly Lys Pro Lys Gly Lys Asp Asp 375 <210> 3 <211> 1374 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (5)..(1348) <400> 3 caga atg gga att cat ttt gtt gac aag gca gat cta tgg aag agt gca Met Gly Ile His Phe Val Asp Lys Ala Asp Leu Trp Lys Ser Ala ctq ttg ttc aat ctt aaa ctt cqt qat cga ttt cga atc gcc gtc gat Leu Leu Phe Asn Leu Lys Leu Arg Asp Arg Phe Arg Ile Ala Val Asp 20 gat cac cgt ggt cga gct acg gtt ttc tca ccg gat ggt tgc ttc tct Asp His Arg Gly Arg Ala Thr Val Phe Ser Pro Asp Gly Cys Phe Ser 35 45 tcc act atc cac cgc tgg gtg act cga ttc cgg aac ttt cgc cgg gag 193 Ser Thr Ile His Arg Trp Val Thr Arg Phe Arg Asn Phe Arg Arg Glu 50 tet etc ect tet eca eeg get tit tat ege aga ega git tet aag gae 241 Ser Leu Pro Ser Pro Pro Ala Phe Tyr Arg Arg Arg Val Ser Lys Asp 70 tta acg gca gaa gaa gag tct gct ctt ttc cgg atg cta caa act gtg 289 Leu Thr Ala Glu Glu Glu Ser Ala Leu Phe Arg Met Leu Gln Thr Val 85

gct gtt ccc ctt att gga aat gct tgt cat gtt ttc atg aat ggt ttt

337

Ala	Val	Pro	Leu	Ile 100	Gly	Asn	Ala	Cys	His 105	Val	Phe	Met	Asn	Gly 110	Phe	
														tta Leu		385
								_	_		_			gtt Val	_	433
		_	_			_		_						aaa Lys		481
														gat Asp		529
														aaa Lys 190		577
														gac Asp		625
		_								_				cca Pro	_	673
	-	_			_			_		_				aag Lys		721
				_		_	_	_	_				_	gtt Val	-	769
														gct Ala 270		817
														cct Pro		865
														tca Ser		913
														ctg Leu		961
														tct Ser		1009

320					325					330					335	
atg to Met Se																1057
cat ag		al A			_				_		_				-	1105
gaa to Glu Se	er S			_	_		_				_	_	_	_		1153
gtc ag Val Ai 38						_	_			_			_	-	_	1201
aag at Lys II 400		-	_		_	_				_	-				_	1249
aga gg Arg G																1297
gtt gg Val G		rg P			_	-		_				_		_		1345
tta ta Leu	aacti	egca	a g	ıttaa	aacto	ee eg	gttag	j.								1374
<210> 4 <211> 448 <212> PRT <213> Arabidopsis thaliana																
<400> Met G		le H	is	Phe 5	Val	Asp	Lys	Ala	Asp 10	Leu	Trp	Lys	Ser	Ala 15	Leu	
Leu Pl	he A		eu 20	Lys	Leu	Arg	Asp	Arg 25	Phe	Arg	Ile	Ala	Val 30	Asp	Asp	
His A	_	ly A 35	rg	Ala	Thr	Val	Phe 40	Ser	Pro	Asp	Gly	Cys 45	Phe	Ser	Ser	
Thr I	le H: 50	is A	rg	Trp	Val	Thr 55	Arg	Phe	Arg	Asn	Phe 60	Arg	Arg	Glu	Ser	
Leu Pr 65	ro S	er P	ro	Pro	Ala 70	Phe	Tyr	Arg	Arg	Arg 75	Val	Ser	Lys	Asp	Leu 80	
					_											

- Val Pro Leu Ile Gly Asn Ala Cys His Val Phe Met Asn Gly Phe Asn 100 105 110
- Arg Val Gln Val Tyr Gly Leu Glu Lys Leu His Asp Ala Leu Leu Asn 115 120 125
- Arg Pro Lys Asn Lys Pro Leu Val Thr Val Ser Asn His Val Ala Ser 130 135 140
- Val Asp Asp Pro Phe Val Ile Ala Ser Leu Leu Pro Pro Lys Phe Leu 145 150 155 160
- Leu Asp Ala Arg Asn Leu Arg Trp Thr Leu Cys Ala Thr Asp Arg Cys
 165 170 175
- Phe Lys Asn Pro Val Thr Ser Ala Phe Ser Arg Ser Val Lys Val Leu 180 185 190
- Pro Ile Ser Arg Gly Glu Gly Ile Tyr Gln Gln Gly Met Asp Ile Ala 195 200 205
- Ile Ser Lys Leu Asn Asn Gly Gly Trp Val His Ile Phe Pro Glu Gly 210 215 220
- Ser Arg Ser Arg Asp Gly Gly Lys Thr Met Gly Ser Ala Lys Arg Gly 225 230 235 240
- Ile Gly Arg Leu Ile Leu Asp Ala Asp Thr Leu Pro Met Val Val Pro 245 250 255
- Phe Val His Thr Gly Met Gln Asp Ile Met Pro Val Gly Ala Ser Val
 260 265 270
- Pro Arg Ile Gly Lys Thr Val Thr Val Ile Ile Gly Asp Pro Ile His
 275 280 285
- Phe Asn Asp Ile Leu Ser Thr Glu Gly Ala Gln His Val Ser Arg Lys 290 295 300
- His Leu Tyr Asp Ala Val Ser Ser Arg Ile Gly Gln Arg Leu Tyr Asp 305 310 315 320
- Leu Lys Ala Gln Val Asp Arg Val Tyr Ile Glu Gln Gln Ser Met Met 325 330 335
- Ser His Asn Ala Lys Thr Pro Ser Asp Arg Ala Ala Glu Ile Phe His 340 345 350
- Arg Val Asp Trp Asp Ser Phe Gly Met Gly Ala Gln Phe Ser Glu Glu 355 360 365
- Ser Ser Pro Ser Ser Lys Pro Ile Gly Gln Ser Asp Asp Arg Ile Val 370 375 380
- Arg Ser Pro Lys Arg Arg Val Ser Pro Glu Gly Gly Val Ser Leu Lys 385 390 395 400

Ile	Lys	Lys	Leu	Met 405	Asp	Ser	Thr	Glu	Met 410	Met	Gly	Phe	Ala	Ala 415	Arg	
Gly	Leu	Leu	Met 420	Asn	Glu	Tyr	Lys	Ser 425	Arg	Val	Glu	Ser	Ala 430	Asn	Val	
Gly	Arg	Pro 435	Leu	Lys	Ala	Trp	Arg 440	Glu	Tyr	Phe	Met	Asn 445	Arg	Gly	Leu	
<211 <212	<210> 5 <211> 961 <212> DNA <213> Arabidopsis thaliana															
)> L> CI 2> (3		. (889	€)												
<400 ctgg		egt t	teta	aatto	gg ag	gagaa	actt	gaa	agcta	_	: Gly		-	_	ggaa Glu	55
					gat Asp											103
					gca Ala											151
	_		_		aat Asn	_	_			_			_	_		199
					cct Pro 60	Leu					Asn					247
					atg Met											295
					cgg Arg											343
					tcc Ser				_				_			391
					gga Gly											439

cag Gln 135																487
gtg Val																535
agc Ser																583
cac His	_				_	_	_	_							_	631
aga Arg		_	_	_	_	-						_		_		679
gaa Glu 215																727
gac Asp		_		_						_					-	775
ctc Leu																823
tac Tyr		_	_			_					_	_		_	_	871
ctc Leu		-	_		_	tgad	cttco	ege (eggga	aaact	it ca	atato	caaaa	a		919
tccg	gtto	cac a	aactt	ttaa	aa gt	tcc	gttt	aga	attc	gcca	tg					961
<210 <211 <212 <213	> 28 > PF	ХТ	dops:	is tl	nalia	ana										
<400 Met 1		Lys	Ile	Met 5	Glu	Trp	Ala	Ala	Arg 10	Ser	Asp	His	Leu	Gly 15	Gly	
Ile	Pro	Arg	Asn 20	Thr	Val	Ile	Met	Ala 25	Val	Ser	Ala	Phe	Ala 30	Lys	Ala	
		_	_	_	_	_							_		_	

Val Ala Asn Leu Cys Asn Lys Ser Ser Val His Asn Ala Asp Thr Leu

35	40	45
J J	40	43

Met Asn Leu Val Gln Ser Arg Pro Pro Gly Val Pro Leu Ile Thr Val
50 55 60

Ser Asn His Met Ser Thr Leu Asp Asp Pro Val Met Trp Gly Ala Phe 65 70 75 80

Lys Gly Leu Leu Ser Leu Asp Pro Glu Leu Ala Arg Trp Val Leu Ala 85 90 95

Ala Glu Asp Ile Cys Phe Arg Asn Pro Ile Phe Ser Tyr Ile Phe Arg
100 105 110

Thr Gly Lys Cys Ile Pro Ile Thr Arg Gly Gly Ile Tyr Gln Glu 115 120 125

Asn Met Asn Glu Ala Leu Gln Arg Leu Lys Asp Gly Ser Trp Leu His 130 135 140

Thr Phe Pro Glu Gly Lys Val Phe Gln Asp Asp Val Pro Ile Arg Arg 145 150 155 160

Leu Lys Trp Gly Thr Ala Ser Leu Ile Ala Arg Ser Pro Val Thr Pro 165 170 175

Ile Val Leu Pro Ile Ile His Arg Gly Phe Glu Glu Met Met Pro Glu 180 185 190

Asn Tyr Asn Asn Gly Arg Arg Pro Leu Val Pro Leu Pro Asn Lys His
195 200 205

Leu Lys Val Val Val Gly Glu Pro Ile Glu Phe Asp Val Pro Met Met 210 215 220

Val Glu Thr Ala Val Leu Asp Ser Arg His Val Thr Pro Pro Leu Gln 225 230 235 240

Glu Val Lys Trp Pro Val Leu Thr Ser Ala Gly Gln Val Leu Asp Glu 245 250 255

Thr Ala Gln Arg His Leu Tyr Ile Ala Leu Ser Glu Lys Ile Gln Ser 260 265 270

Ser Leu Glu Thr Leu Arg Leu Leu Ala Lys Arg Leu 275 280

<210> 7

<211> 403

<212> DNA

<213> Zea mays

<220>

<221> misc feature

<222> (1)..(403)

<223> nucleic acid sequence which can be used to identify and clone genes encoding oil synthesis enhancing proteins (OEPs)

```
<400> 7
ccgctcctca ccgtcagcaa tcacatgtcc acgttagatg acccqcttat qttqqcqatt 60
caagggtttt ccaacttcgg atgcaaagct tggaaggtgg gtgctgacag cagaagatat 120
atgcttcaag aatgtagtca tgtcctacat gtttcgactt gggaaatgca taccaatcac 180
gagaggggt gggatttatc aagaacacat gaatqaaqcc cttqacqtqc ttaqaaatqq 240
aggetggetg catacattee etgaaggaaa aatageecaa gaagateage egattagaag 300
attgaagtgg ggaactgcca gtcttattgt ccgagcacct ataactccaa tagttttgcc 360
aattgttcac tctggtttcg aaaaggtcat gccagaaaac tcg
<210> 8
<211> 423
<212> DNA
<213> Glycine max
<220>
<221> misc_feature
<222> (423)..(423)
<223> n is a, c, g, or t
<220>
<221> misc feature
<222> (1)..(423)
<223> nucleic acid sequence which can be used to identify and clone genes
encoding oil synthesis enhancing proteins (OEPs)
<400> 8
ttcccgggtc gaccaccatt ggcgccgccg acaccaccac acctttatcc cctctgccga 60
tggctacttc tcctccacca ttcaacgctg cctcagccga tttcgtgatt tccgaaggga 120
ttcattgcct tcttccacct ctttctatcg taaacgagtg attaaggatt tcagttctga 180
ggaagattca gctcttgttc gtacgatgca agctgttgcg gttcctgttc ttggaaatgt 240
ctgtcacgtg tttatgaacg gattaaacca ggtgcaggtg tatggtttag aaaaactgca 300
ctccgcgttg ctgcatagac ctaagggcaa acctcttctt acggtcagca atcatgttgc 360
ttccatggat gatccgcttg ttatcgcttc gctgcttcct tcgagtgttc tcttggatgc 420
<210> 9
<211> 408
<212> DNA
<213> Glycine max
<220>
<221> misc feature
<222> (1)..(408)
<223> nucleic acid sequence which can be used to identify and clone genes
encoding oil synthesis enhancing proteins (OEPs)
<400> 9
tttttatcaa ccaacgcaac atgtcacgga cgatggagtg ggcggcgagg gcggagcacc 60
tecgeggeat teccagaaaa etegtgattg eggeggtggg eggattegee aaaaeggtgt 120
egtettteet caacacegee gatgtteaca aeggegaeae teteeteege etegteeget 180
ccagacccca ccgcgtcccc ctcattaccg ttagcaatca catgtccact ttggatgatc 240
```

cggttatgtg ggggttcaag ggttttccta tcttcgacac caacttagct cgctgggttc 300

```
tegetgeega agatatttge tteaggaatg ceetetatte etatattttt eggetgeata 360
cttttccaga aggaaaagtg tatcaagaag atgcacctat aaggcaat
<210> 10
<211> 368
<212> DNA
<213> Linum usitatissimum
<220>
<221> misc feature
<222> (1)..(368)
<223> nucleic acid sequence which can be used to identify and clone genes
encoding oil synthesis enhancing proteins (OEPs)
<400> 10
cggttagcaa ccatgttgct tctgtcgatg acccatttgt gattgcttca ttgctaccac 60
caagagtact tttggatgct cagaacttga ggtggacact ttgcgcaagg atcgctgttt 120
taggaatccc gtcacttctg cattcttaag actgtcaaag tcttgcccct ctctcgtggt 180
catggagttt atcagaaggg tatggacacg gcaattgcga acgtgaacac tggtggctgg 240
gttcacatct tcccggaggt agccgttcta aggatggtgg gaaaactatg gggtctatta 300
aaagaggtgt tggaaggttg gtacttgatg ctgatacttc tccccattgt agtcccggtc 360
gtgcacac
<210> 11
<211> 376
<212> DNA
<213> Linum usitatissimum
<220>
<221> misc feature
<222> (1)..(376)
<223> nucleic acid sequence which can be used to identify and clone genes
encoding oil synthesis enhancing proteins (OEPs)
<400> 11
tcgtagttag agaacctcag atggctggga ttacaaggaa tgcagtgttt gtgaccgtcg 60
gtgcctttgc taaggcagtg agtagtcttc tgaacaatac atcagtccac aatgcagaca 120
ctctacttcg cctagttcga tctcggccgc ctggtgtacc tctcatcact gttagcaatc 180
acatgtcaac gttagatgat cctctgatgt ggggattcaa gggattccca atcatgggat 240
gcgaaattqt ttcqatqqqt atqqqctqct qaaqacatct qtttcaqqaa ttcttttcat 300
tettaettet ttegeatggg gaaatgtatt eecattacaa gaggtggggg aatttategg 360
agccacatga atgaag
                                                                   376
<210> 12
<211> 418
<212> DNA
<213> Linum usitatissimum
<220>
<221> misc feature
<222> (1)..(418)
<223> nucleic acid sequence which can be used to identify and clone genes
encoding oil synthesis enhancing proteins (OEPs)
```

```
<400> 12
ccgcctggtg tacctctcat cactgttagc aatcacatgt caacgttaga tgatcctctg 60
atgtggggat tcaagggatt cccaatcatg aatgcgaaat tgtttcgatg ggtattagct 120
gctgaagaca tctgtttcag gaattctttt cattcttact tctttcqcat qqqqaaatqt 180
atteccatta caagaggtgg tggaatttat caaagecaca tgaatgaage tetteagege 240
ttgagcaatg gtgattggct gcacacattc cctgagggaa aggtcaacca agaaattgga 300
cctataagac gattgaaatg gggaactgcc agtctcatcg tccgtgcccc tgttacaccg 360
atagtattac ccattgttca tcgtggcttt caagaggtga tgccagagaa ctacctat
<210> 13
<211> 445
<212> DNA
<213> Glycine max
<220>
<221> misc feature
<222> (1)..(445)
<223> nucleic acid sequence which can be used to identify and clone genes
encoding oil synthesis enhancing proteins (OEPs)
<400> 13
ttccqqqtcq accqccattq qcqccqccqc cactaccacc acacctttat cccctccqcc 60
gatggctact tctcctccac cattcaacgc tggctcagcc gatttcgtga tttccgcaga 120
gactegttge egtegteeac etetttttat egeaaaegag tgattaagga ttteagttet 180
gaagaagatt caactettgt tegtatgatg caagetgttg eggtteetgt tettggaaat 240
gtctgtcacg tgtttatgaa cggattaaac agtgtgcagg tatatggttt agaaaaactg 300
cacteegett tactgeaaag acctaaagga aaacetette ttaeggteag caateatgtt 360
gettecatgg atgatectet tgttattget tegetgette etcegagtgt tettttggae 420
gctaggaatc tcagatggac gcttc
                                                                   445
<210> 14
<211> 361
<212> DNA
<213> Hordeum vulgare
<220>
<221> misc feature
<222> (1)..(361)
<223> nucleic acid sequence which can be used to identify and clone genes
encoding oil synthesis enhancing proteins (OEPs)
<400> 14
ggaatcqqtq atcctccqca tqqttcaagc tqtqqcqqtt cctctattqq gaaacatqtq 60
ctacgtgttc atgaatggcc tcaatcgcgt tcaggttcat ggcctggaga agctgcacaa 120
ggcattgctt gagaggccta aggacaagcc cctagtaacg gttagcaacc atgttgcttc 180
tqtcqatqac ccatttqtqa ttqcttcatt qctaccacca aqaqtacttt tqqatqctca 240
gaacttgagg tggacacttt gcgcaacgat cgctgtttta ggaatcccgt cacttctgca 300
ttctttaaga ctgtcaaagt cttgcccctc tctcgtggtc atggagttta tcagaagggt 360
                                                                   361
<210> 15
<211> 472
<212> DNA
<213> Brassica napus
```

```
<220>
<221> misc_feature
<222> (1)..(472)
<223> nucleic acid sequence which can be used to identify and clone genes
encoding oil synthesis enhancing proteins (OEPs)
<400> 15
tgtatcggaa tttccgggtc gacgaccacc gccggagagc cgcggtttta tatacggacg 60
gttacttctc ttcctccatc caccgcttgg ctgctcgatt gcggaacttc cgccgcgagt 120
ctctcccttc tgcccccgct ttttatcgca gaagagtacc taaagatttg acggcagaag 180
aagagtctgc tatcttccgg atgcttcaag ctgtggctgt tccacttatt ggaaacgctt 240
gtcatgtttt catgaatggt cttaaccgtg ttcaggtgta tggtttagag aagttgcatg 300
atgetetget caacaggeca aagaacaage etetegtaac ggttagcaat catgtggcat 360
ccttggatga tccatttgtc attgcttcgt tacttccqcc taaqcttcta ctcqatqctc 420
gtaatttgag gtggacgctt tgtgctacag atagatgctt taagaaccct gt
<210> 16
<211> 412
<212> DNA
<213> Brassica napus
<220>
<221> misc feature
<222> (412)..(412)
<223> n is a, c, g, or t
<220>
<221> misc feature
<222> (1)..(412)
<223> nucleic acid sequence which can be used to identify and clone genes
encoding oil synthesis enhancing proteins (OEPs)
tttagatgat ccagtaatgt ggggagggtt caaggcgtct tctttcctta gatccagagc 60
tggctcgatg ggttcttgct gcagaggaca tttgtttcaa gaaccetgtc ttctcctaca 120
tcttccgcac tggcaagtgt atacctataa ctagaggtgg tggaatctac caagaacaca 180
tgagtgaagc tctcgagcga ttaaaagatg gatcttggtt gcataccttc ccagagggca 240
aggtgtttca agaagatgtg cctataagac gacttaaatg gggaaccgca agcctcatcg 300
cccqttqccc aqtcacccca atcqtcttqc caataattca ccqtqqtttq acqaqatqaa 360
tgccqaqagt acatttatgq aaaangacca ccqtacccqt tggqaacaaa an
<210> 17
<211> 410
<212> DNA
<213> Brassica napus
<220>
<221> misc feature
<222> (410)..(410)
<223> n is a, c, g, or t
<220>
<221> misc feature
<222> (1)..(410)
```

<223> nucleic acid sequence which can be used to identify and clone genes encoding oil synthesis enhancing proteins (OEPs) <400> 17 tttagatgat ccagtaatgt ggggagggtt caagggtctt ctttccttag atccagagct 60 ggctcgatgg gttcttgctg cagaggacat ttgtttcaag aaccctgtct tctcctacat 120 cttccgcact ggcaagtgta tacctataac tagaggtggt ggaatctacc aagaacacat 180 gagtgaaget etegagegat taaaagatgg atettggttg catacettee cagagggcaa 240 ggtgtttcaa gaagatgtgc ctataagacg acttaaatgg ggaaccgcaa gcctcatcqc 300 ccgttgccca gtcacccaaa tcgtcttgcc aatatttcac cqtqqttttg acaacatqat 360 gcccgaaaat gtccttttat ggaagaatga caaccgtacc tqtqqqqaan <210> 18 <211> 420 <212> DNA <213> Glycine max <220> <221> misc_feature <222> (420)..(420) <223> n is a, c, g, or t <220> <221> misc feature <222> (1)..(420) <223> nucleic acid sequence which can be used to identify and clone genes encoding oil synthesis enhancing proteins (OEPs) <400> 18 gccattggcg ccgccgacac aaccaccaca cctttatccc ctccgccgat ggctacttct 60 cctccaccat tcaacgctgg ctcagccgat ttcgtgattt ccgcagagac tcgttgccgt 120 cgtccacctc tttttatcgc atacgagtga ttaaggattt cagttctgaa gaagattcaa 180 ctcttgttcg tatgatgcaa gctgttgcgg ttcctgttct tggaaatgtc tgtcacgtgt 240 ttatgaacgg attaaacagt gtgcaggtat atggtttaaa aaaactgcac tccgctttac 300 tgcaaagacc taaaggaaaa cctcttctta cggtcagcaa tcatgttgct tccatggatg 360 atcetettgt tattgetteg etgetteete egagtgttet tttggaeget aggaateten 420 <210> 19 <211> 490 <212> DNA <213> Brassica napus <220> <221> misc feature <222> (397)..(397) <223> n is a, c, g, or t <220> <221> misc feature <222> (1)..(490) <223> nucleic acid sequence which can be used to identify and clone genes encoding oil synthesis enhancing proteins (OEPs)

<400> 19
aatteetggg tegacgattt egteeegaga tggtggcaag actatggget cagcaaaaag 60

```
aggtattgga aggttgattt tggacgcaga taccctccct atggttgttc catttgtgca 120
tactggtatg caagatataa tgcctatagg agccagtgtt ccacggattg gcaaaacagt 180
gacagtgatc attggagatc ctattccctt taatgacctt gtagacactg aaggagccaa 240
acacgtttca aggaagcagt tgtatgacgc tgtatcttcc aggataggac aaagattaca 300
ccagttaaag caacaggttg ataaagtatc tctgggagca caatattcag aagaatcacc 360
agcccttctt ggtaaacaaa tttcccaaac cgatgtncgt ctcaatggtt tggactggca 420
tgttcctaaa agggattgcc atccgaagga agcatcagcc tgaaggttaa gaggtttatg 480
gactctacag
<210> 20
<211> 386
<212> DNA
<213> Zea mays
<220>
<221> misc feature
<222> (1)..(386)
<223> nucleic acid sequence which can be used to identify and clone genes
encoding oil synthesis enhancing proteins (OEPs)
<400> 20
cgtgcttaga aatggaggct ggctgcatac attccctgaa ggaaaaatag cccaagaaga 60
tcagccgatt agaagattga agtggggaac ggccagtctt attgtccgag cacctataac 120
tccaatagtt ttgccaattg ttcactctgg tttcgaaaag gtcatgccag aaaactcgtt 180
ctttggacgg cgaccaccgg tgccactctg cagtaagaag atagacatca ttgttggaga 240
gccaatagag tttgacttgc caagcttgaa gcaagaagca tcaacggtac cccatgactc 300
atcetetgaa eggaaggggt ggeeggeeat tacaceagat gggetggaeg aggeegeeca 360
gagatggctt taccagaaga tgtcag
<210> 21
<211> 429
<212> DNA
<213> Brassica napus
<220>
<221> misc feature
<222> (1)..(429)
<223> nucleic acid sequence which can be used to identify and clone genes
encoding oil synthesis enhancing proteins (OEPs)
<400> 21
ctcgggtcga cgattccgta cggtcttaac cgagttcagg tgtatggttt atagaagctg 60
tatgatgctc tgctcaacag gccaaagaac aagcctctcg taacggctaa caatgatgtg 120
gcatccttgg atgatccatt cgccattgct tcattactat ccgcctaagc ttctactctg 180
atgctcgtaa tttgaggtgg acgctttgtg ctacagatag atgctttaag aaccctgtaa 240
cttcagcttt ctttcgatca ttcaaagttt tgccagcttc tcgcggtgaa ggaatctatc 300
agcagggaat ggacatcgcg acgtcgaaat tgaataatgg aggatgggtt cacatatttc 360
cagaaggcag acggtaccga gatggtggct agactatggg ttcacgcaat agaggtattg 420
gaatgttgt
                                                                   429
<210> 22
<211> 436
<212> DNA
<213> Brassica napus
```

```
<220>
<221> misc_feature
<222> (1)..(436)
<223> nucleic acid sequence which can be used to identify and clone genes
encoding oil synthesis enhancing proteins (OEPs)
<400> 22
tctagatgac ccactattgt ggggagggct ccagggtctt atttccttag atccaaagct 60
ggctcgatgg gatcttgctg cagaggacat ttgtttcaat aaccctgtct tctcctacat 120
tttccgcact gacacgcgta tacctataac tagaggtggt ggaatctacc aagaacacat 180
gagtgaagct ctagagcgat taatagatgg atcttgcacg gcaaggcgtt tcaagaagat 240
gtgcctataa gacgacttaa atggggaacc gcaagcctca tcagccgttg cccagtcacc 300
ccaatcgtct tgccaataat tcaccgtggt tctgacgaga tgatgccgga gaagtacatt 360
tatggaagaa taccaccgtt accgctgtgg aacaaaaacc ttaaagtagt tgttggtgaa 420
ccaatcagag ttgatg
<210> 23
<211> 423
<212> DNA
<213> Brassica napus
<220>
<221> misc_feature
<222> (423)..(423)
<223> n is a, c, g, or t
<220>
<221> misc_feature
<222> (1)..(423)
<223> nucleic acid sequence which can be used to identify and clone genes
encoding oil synthesis enhancing proteins (OEPs)
ggatgatcca tttgtcattg cttcgttact tccgcctaag cttctactcg atgctcgtaa 60
tttqaqqtqq acqctttqtq ctacaqataq atqcttcaaa aaccctgtaa cttcagcttt 120
ctttcgatcc gtcaaggttt tgccagtttc tcgcggtgaa ggaatttatc agcagggaat 180
ggacattgcg atttcgaaat tgaataatgg aggatgggtt cacatatttc cagaaggtag 240
tcgctcccga gatggtggca agactatggg ctcagcaaaa agaggtattg gaaggttgat 300
tttggacgca gataccctcc ctaatgttgt tccatttgtg catactggta tgcaagatat 360
aatgeetata ggageeagtg tteeaeggat tggeaaaaca gtgaeagtga teattggaga 420
                                                                   423
tcn
<210> 24
<211> 400
<212> DNA
<213> Oryza sativa
<220>
<221> misc_feature
<222> (1)..(400)
<223> nucleic acid sequence which can be used to identify and clone genes
encoding oil synthesis enhancing proteins (OEPs)
```

<400> 24

```
gcgatggcat ctaccaaaag ggaatggaca tggcactttc aaagttgaac aatggtggat 60
gggttcatat tttcccagaa ggaagtcgtt caaaggatgg agggaaaacc gtcgctcctg 120
ccaagagagg tgttggaaga ttggtaatgg acgctgacag ccttccagtt gtaataccct 180
ttgtccatac aggaatgcag gatataatgc ctgtcggaaa acgtattcca agagcaggca 240
aaagggtgat tgtggttgtt ggtgatccaa tcaacttcaa cgaccttatc attgacaaca 300
gcgatgaaac ccaacacatc tctagaggca ttttgtatga caaagcaaca gaaaggattg 360
ggcagagact gcaggaactg aaagccgaag tcgatagatt
                                                                   400
<210> 25
<211> 414
<212> DNA
<213> Brassica napus
<220>
<221> misc feature
<222> (1)..(414)
<223> nucleic acid sequence which can be used to identify and clone genes
encoding oil synthesis enhancing proteins (OEPs)
<400> 25
ggcagcaaga tctgatcact tgggaggaat cccaagaaaa actgtgataa cagccgttgg 60
tgctttcgcg agagcagtag ctaatctttg caacaaaacc aaagttcaca atgcagatac 120
tottatgact cttgtccgtt cacgaccacc tggtgtccct ctcatcactt ttagatgatc 180
cagtaatgtg gggagggttc aagggtcttc tttctttaqa tccagagttg gctcqatggg 240
tgcttgctgc tgaggatata tgtttcaaga actctttctt ctcctacatc ttccgcactg 300
gcaagtgtat acctataact agaggtggtg gaatctatca agaacacatg agtgaagctc 360
ttgaacgatt aaaagatgga tcttggttgc ataccttccc agaggggcag gtgg
<210> 26
<211> 397
<212> DNA
<213> Brassica napus
<220>
<221> misc_feature
<222> (1)..(397)
<223> nucleic acid sequence which can be used to identify and clone genes
encoding oil synthesis enhancing proteins (OEPs)
<400> 26
ctgcccccgc tttttatcgc agaagagtac ctaaagattt gacggcagaa gaagagtctg 60
ctatcttccg gatgcttcaa gctgtggctg ttccacttat tggaaacgct tgtcatgttt 120
tcatgaatgg tcttaaccgt gttcaggtgt atggtttgga gaagttgcat gatgctttac 180
tcaacagacc aaagaacaag cctcttgtaa cggttagcaa tcatgtggcg tccttggatg 240
atcoatttgt cattgcttcg ttacttcctc ctaagettct acttgatgct cgtaatctga 300
ggtggacgct ttgtgctaca gatagatgct ttaagaaccc tgtaacttca gctttctttc 360
gatecgteaa agttttgeea gtttetegeg gtgaagg
                                                                   397
<210> 27
<211> 429
<212> DNA
<213> Brassica napus
<220>
```

```
<221> misc_feature
<222> (1)..(429)
<223> nucleic acid sequence which can be used to identify and clone genes
encoding oil synthesis enhancing proteins (OEPs)
<400> 27
gaattcaacg tcgacgattt cgtcgatccg tcaaggtttt gccagtttct cgcggtgaag 60
gaatttatca gcaqqqaatq qacattqcqa tttcqaaatt qaataatqqa qqatqqqttc 120
acatatttcc agaaggtagt cgctcccgag atggtggcaa gactatgggc tcagcaaaaa 180
gaggtattgg aaggttgatt ttggacgcag ataccetece tatqqttqtt ccatttqtqc 240
atactggtat gcaacatata atgcctatag gagccactgt tccacqgatt gacaaaacag 300
tgacagtgat cattggagat cctattccct ttagtgacct tgtagacact gaacgatcca 360
aacacgtttc aaggaaccag gtttatgacc ctctatcgtt caggatcgac agcgattacc 420
ctcctgcat
<210> 28
<211> 404
<212> DNA
<213> Brassica napus
<220>
<221> misc_feature
<222> (1)..(404)
<223> nucleic acid sequence which can be used to identify and clone genes
encoding oil synthesis enhancing proteins (OEPs)
<400> 28
gttacttccg cctaagcttc tactcgatgc tcgtaatttg aggtggacgc tttgtgctac 60
agatagatgc ttcaaaaacc ctgtaacttc agctttcttt cgatccgtca aggttttgcc 120
agtttctcgc ggtgaaggaa tttatcagca gggaatggac attgcgattt cgaaattgaa 180
taatggagga tgggttcaca tatttccaga aggtagtcgc tcccgatatg gtggcaagac 240
tatgggctca gcaaaaagag gtattggaag gtgagtcata tatgccttta ctttcagcta 300
ctttatgtaa tgcgtgtgta tggaccttat tataacacaa acaagcttgt gattcacttc 360
tttgtgcaag atgatttctc tctcagatac catgcgtatg aatg
                                                                   404
<210> 29
<211> 467
<212> DNA
<213> Brassica napus
<220>
<221> misc feature
<222> (467)..(467)
<223> n is a, c, g, or t
<220>
<221> misc feature
<222> (1)..(467)
<223> nucleic acid sequence which can be used to identify and clone genes
encoding oil synthesis enhancing proteins (OEPs)
<400> 29
gaattetegg gtegaegata gtgeaaattt agatgateea gtaatgtggg gagggtteaa 60
ggtcttcttt ccttagatcc agagctggct cgatgggtac ttgctgcaga ggacatttgt 120
```

ttcaagaacc ctgtcttctc ctacatcttc cgcactggca agtgtatacc tataactaga 180

```
ggtggtggaa tctaccaaga acacatgagt gaagctctcg agcgattaaa agatggatct 240
tggttgcata cetteceaca gggcaeggtg ttacaegatg atgtgcetag etgaegaett 300
acatggggaa ccggcggcct aatcccgcgt tgaccaacca cgccaattct cttgccaata 360
tttcacggcg actgtgacga catcatgacg cagaaggcca tggatctata aacaccaccg 420
ctacctctct tgatcaaaac cgtaaacgta gaggaggcta accctcn
<210> 30
<211> 459
<212> DNA
<213> Brassica napus
<220>
<221> misc difference
<222> (1)..(459)
<223> nucleic acid sequence which can be used to identify and clone genes
encoding oil synthesis enhancing proteins (OEPs)
<400> 30
gatcaccgtg gtagagccgc ggttttatat acggcacggt atagcgttct cttctccatc 60
caccacttag ctactcatt cagaacttc caccacaat ctctcccttc taccccact 120
ttttatcgca gaagagtacc taaagatttg acggcagaag aagagtctgc tatcttccgg 180
atgetteaag etgtggetgt tecaettatt ggaaaegett gteatgtttt eatgaatggt 240
cttaaccgtg ttcaggtgta tggtttagag aagttgcatg atgctctgct caacaggcca 300
aagaacaagc ctctcgtaac ggttagcaat catgtggcat ccttggatga tccatttgtc 360
attgcttcgt tacttccgcc taagcttcta ctcgatgctc ggaatttgag gtggacgctt 420
tgggctacac acagatggtt taccaaccct gtgcttccg
<210> 31
<211> 389
<212> DNA
<213> Glycine max
<220>
<221> misc feature
<222> (26)..(26)
<223> n is a, c, g, or t
<220>
<221> misc feature
<222> (1)..(389)
<223> nucleic acid sequence which can be used to identify and clone genes
encoding oil synthesis enhancing proteins (OEPs)
<400> 31
ggggtactgc gcccgcaatt cccggnccgg accaccattg gcgccgcgac accaccaca 60
ctttatecce tetgeegatg getaettete etegaceatt caacgetgee teageegatt 120
tegtgattte egaaggtatt cattgeette ttecacetet ttetategta aacgagtgat 180
taaggatttc agttctgagg aagattcagc tcttgttcgg acgatgcaag ctgttgcggt 240
tcctgttctt ggaaatgtct gtcacgtgtt tatgaacgga ttaaaccagg tgcaggtgta 300
tggtttagaa aaactgcact ccgcgttgct gcatagacct aagggcaaac ctcttcttac 360
gqtcagcaat catgttgctt ccatggatg
```

<210> 32 <211> 400

```
<212> DNA
<213> Oryza sativa
<220>
<221> misc_feature
<222> (1)..(400)
<223> nucleic acid sequence which can be used to identify and clone genes
encoding oil synthesis enhancing proteins (OEPs)
<400> 32
agaaaaactg cactccgctt tactgcaaag acctaaagga aaacctcttc ttacggtcag 60
caatcatgtt gcttccatgg atgatcctct tgttattgct tcgctgcttc ctccgagtgt 120
tettttggae getaggaate teagatggae getttgegea aetgataggt gttttaaaaa 180
ccctgtgact tctgcattct ttcgatcagt caaagttttg ccagtttctc gaggtgatgg 240
catttatcaa gaaggaatgg acttggccat atcaaaattg aaccatggtg gttgggtcca 300
gatattccca cacggcggtt gatccctcta tttttcaaaa tcagaaagtt aaaataaggg 360
agggggggtc gaaaaatcca agcggggagc gggccccttg
<210> 33
<211> 449
<212> DNA
<213> Brassica napus
<220>
<221> misc_feature
<222> (432)..(432)
<223> n is a, c, g, or t
<220>
<221> misc feature
<222> (1)..(449)
<223> nucleic acid sequence which can be used to identify and clone genes
encoding oil synthesis enhancing proteins (OEPs)
<400> 33
aattcccggg tcgacgatca ccgtggcaga gccgcggttt tatatacgga cggttacttc 60
tectecteca tecacegett ggetgetega tteeggaact teegeegega gteteteeet 120
tctgcccccg ctttttatcg cagaagagta cctaaagatt tgacggcaga agaagagtct 180
gctatcttcc ggatgcttca agctgtggct gttccactta ttggaaacgc ttgtcatgtt 240
ttcatgaatg gtcttaaccg tgttcaggtg tatggtttgg agaagttgca tgatgcttta 300
ctcaacagac caaagaacaa gcctcttgta acggttagca atcatgtggc gtccttggat 360
gatecatttg teattgette gttactteet ectaagette taettgatge tegtaatetg 420
aggtggacgc tntgtgctac agatagatg
                                                                   449
<210> 34
<211> 429
<212> DNA
<213> Oryza sativa
<220>
<221> misc_feature
<222> (216)..(216)
<223> n is a, c, g, or t
<220>
```

```
<221> misc_feature
<222> (1)..(429)
<223> nucleic acid sequence which can be used to identify and clone genes
encoding oil synthesis enhancing proteins (OEPs)
<400> 34
ccgggatggt ggaaaaacca tgggctcttc caagagaggt gttgggaggt tagtcctgga 60
tggagatagc atgcctgttg ttgtcccatt tgtacataca qqqatqcaqq aqattatqcc 120
tgtaggtgct aactttccca gaataggcaa gatggttaca qtqctcatag qtqatccqat 180
caattttgat gatataattg aatttgacaa agacanaggc tcaaatgtgc ccagaagacg 240
actatatgat gcagtagcat ctaaaattgg tgatcggttg cttgagatga aggtccaggt 300
tgacactatc gcaattgtca agaaatgcag gtaccagaaa agtcctcaca cagactgacc 360
gaccattaaa aaactgagcc aggtgattgg gactaatttg aatggacatc ttctggccgc 420
agaaatgcc
<210> 35
<211> 449
<212> DNA
<213> Brassica napus
<220>
<221> misc feature
<222> (432)..(432)
<223> n is a, c, g, or t
<220>
<221> misc feature
<222> (1)..(449)
<223> nucleic acid sequence which can be used to identify and clone genes
encoding oil synthesis enhancing proteins (OEPs)
<400> 35
aattcccggg tcgacgatca ccgtggcaga gccgcggttt tatatacgga cggttacttc 60
tectecteca tecacegett ggetgetega tteeggaact teegeegega gteteteeet 120
tctgcccccg ctttttatcg cagaagagta cctaaagatt tgacggcaga agaagagtct 180
gctatcttcc ggatgcttca agctgtggct gttccactta ttggaaacgc ttgtcatgtt 240
ttcatgaatg gtcttaaccg tgttcaggtg tatggtttgg agaagttgca tgatgcttta 300
ctcaacagac caaagaacaa gcctcttgta acggttagca atcatgtggc gtccttggat 360
gatecatttg teattgette gttaetteet cetaagette taettgatge tegtaatetg 420
aggtggacgc tntgtgctac agatagatg
                                                                   449
<210> 36
<211> 23
<212> DNA
<213> Artificial sequence
<220>
<221> misc_feature
<222> (1)..(23)
<223> 5' primer for the YPR140w gene
<400> 36
atgtctttta gggatgtcct aga
                                                                       23
```

```
<210> 37
<211> 23
<212> DNA
<213> Artificial sequence
<220>
<221> misc_feature
<222> (1)..(23)
<223> 3' primer for the YPR140w gene
<400> 37
tcaatcatcc ttaccctttg gtt
                                                                    23
<210> 38
<211> 21
<212> DNA
<213> Artificial sequence
<220>
<221> misc_feature
<222> (1)..(21)
<223> primer At140.1-S1
<400> 38
gtcggtcttt ctaactgaat c
                                                                     21
<210> 39
<211> 20
<212> DNA
<213> Artificial sequence
<220>
<221> misc_feature
<222> (1)..(20)
<223> primer At140.1-A1
<400> 39
                                                                     20
cctgtgggac ttaaacctca
<210> 40
<211> 20
<212> DNA
<213> Artificial sequence
<220>
<221> misc_feature
<222> (1)..(20)
<223> primer At140.1-S2
<400> 40
                                                                     20
cagaatggga attcattttg
```

<210> 41

<211> <212>		
<213>	Artificial sequence	
<220>	misc_feature	
	(1)(21)	
	primer At140.1-A2	
(225)	primer Acito. I Az	
<400>	41	
ctaacg	ggag tttaacttgc a	21
<210>	42	
<211>		
<212>		
<213>	Artificial sequence	
<220>		
	misc_feature	
	(1)(19)	
	primer At140.2-S1	
<400>		
ctggtc	tcgt ttctaattg	19
<210>	43	
<211>		
<212>		
<213>	Artificial sequence	
<220>		
	misc_feature	
	(1)(22)	
	primer At140.2-A1	
400		
<400>		
catggc	gaat ctaaaccgga ac	22